# Ultrafine Particle (UFP) Number Concentrations during the Harbor Communities Monitoring Study

Katharine Moore<sup>1</sup>, Meg Krudysz<sup>2</sup>, Payam Pakbin<sup>1</sup>, Neelakshi Hudda<sup>1</sup>, Constantinos Sioutas<sup>1</sup>

<sup>1</sup> Sonny Astani Department of Civil and Environmental Engineering, USC <sup>2</sup> Department of Environmental Health Sciences, UCLA

Katharine Moore - (213) 821-5960 - katharim@usc.edu

## Overview/Motivation

#### **USC UFP network**

- 13 sites
- San Pedro/Wilmington and West Long Beach clusters, downtown LA
- Continuous observations
  - Total particle number concentration data (UFP ≈ 85 90%)
    - Some particle size distribution data
  - meteorology
- mid-February mid-December 2007

#### **Goal: quantify Intra-Community variability**

- UFP and adverse health impacts
  - Exposure assessments
- Variety of scales
  - Temporal (daily, weekly, monthly, seasonal)
  - Spatial (background vs. impacted sites)

## **Key Points**

#### **UFP** concentrations vary with

- Proximity to sources
  - I-710 vs. PoLA's Berth 47
- Source emission patterns
- "Goods movement" profile
  - Step function
  - Heavy-duty diesel emissions
- Meteorology
  - Summer vs. fall concentrations
  - Changes in wind speed/direction (e.g. Santa Anas)
- Daily, weekly, monthly, seasonal differences

#### UFP intra-community is similar to inter-community variability

Comparison Children's Health Study results

#### **Quantify UFP intra-community spatial variability**

- Coefficients of Divergence
- "moderately heterogeneous"

Based upon hourly average data by month






Condensation Particle Counter (3022A)




## **USC Network**




#### prevailing winds


- "sea breeze" (overnight calms)
- PM westerlies in WLB



## **Background sites: PLBO & PB47**




# San Pedro/ Wilmington cluster



**November** 

## West Long Beach cluster





**November** 


## **Coefficients of Divergence (CODs)**

- Measure of homogeneity between sites
  - COD = 0 → homogeneous data
  - COD = 1 → heterogeneous data


$$COD_{jk} = \sqrt{\frac{1}{n} \sum_{i=1}^{n} \left[ \frac{\left(x_{ij} - x_{ik}\right)}{\left(x_{ij} + x_{ik}\right)} \right]^{2}}$$

n = # of values (concentrations, x) for paired sites j and k

#### **CODs**



### 24-hour mean & CHS sites



## Summary

- UFP variability on many spatial and temporal scales
- Goods movement profile
- Moderately heterogeneous concentrations overall but broad range observed (COD results)
- Two manuscripts submitted

#### **On-going analyses**

- Modeling (Professor R. Henry/USC)
- Case studies at higher temporal resolution
- Combine size distribution, meteorology and UFP number concentration data
- UFP and additional HCMS measurements (e.g. CO, NO/NO<sub>2</sub>, solar radiation ...)

## Acknowledgments

- California Air Resources Board
- South Coast Air Quality Management District
- Ports of Los Angeles and Long Beach
- HCMS colleagues (DRI and UCLA/ARB)
- Members of the Harbor Communities
  - » The Berns Company
  - » D. Berns
  - » D. Seymour
  - » Superior Electrical Advertising, Inc.
  - » B. Alvarez
  - » A. Hricko
  - » J. Cross
  - » J. Marquez

- » T. Diaz
- » R. Veyna
- » Orange County Nursery
- » Southern California Edison
- » Westside Baptist Church
- » Pastor G. Johnson
- » D. Modha
- » Long Beach Job Corps
- » G. Bertolin/SAIC